

NEW RECORDS AND NEW HOST RECORDS OF SOME
BRACHYMERIA SPECIES (Hymenoptera : Chalcididae)

T. C. NARENDRAN and K. J. JOSEPH

Department of Zoology, University of Calicut, Kerala

Studies by Joseph, Narendran and Joy (1973) have shown that the genus *Brachymeria* Westwood is widely distributed and is the most common genus of chalcid parasites of many pests of agricultural importance. Nevertheless information about the hosts and the distribution of many species of *Brachymeria* are still lacking and incomplete. The object of present note is to add new information on the distribution and on the hosts of some species of *Brachymeria*.

1. *Brachymeria (Neobrachymeria) nosatoi* Habu

We record this species for the first time from New Guinea (Australian realm) and for first time from the host the Pink Boll Worm of cotton (*Pectinophora gossypiella* S. : Gelechiidae). We refer to this species several specimens collected by J. N. L. Stibick from Papua, N. Guinea, on 14-5-1971 and on 7-6-1973.

Past host records: *Dioryctria splendidella* H. (Pyralidae) *Evetria cristata* W. (Olethreutidae)

Past records of distribution: Japan, Laos, Philippines and India,

2. *Brachymeria (Brachymeria) gigantica* Joseph et al.

We record this species for the first time from Papua, New Guinea, and for the first time from the host *Melanitis lida* (Nymphalidae), a pest of paddy. We refer to this species six specimens collected by J. J. Sent-Ivany and A. Catley from Iriri village, Gulf district, Papu, N. Guinea, on 8-5-1959.

Past host records: Nil

Past records of distribution: Java only.

3. *Brachymeria (Brachymeria) megaspila* (Cameron)

We record this species for the first time from N. Guinea and for the first time from the host *Delias isis* (Pieridae) from mistletoe which grows on trees. We refer to this species two specimens collected by J. H. Ardley on 10-9-1958 and on 1-11-1959 from Bubia Lae, N. Guinea,

Past host records: *Eurema hecabe* L. (Pieridae), *Eurema blanda silhelana* (Pieridae),

Past records of distribution: India, Vietnam & Java,

4. *Brachymeria* (*Brachymeria albotibialis*) (Ashmead)

We record this species the first time from N. Guinea. We refer to this species two specimens collected by B. A. O' Connor (on 27-5-1959) and J. H. Ardley (on 1-11-1945) from Bubia Lae, N. Guinea.

Past host record: *Erinota thrax* L. (Hesperiidae), *Parnara mathias* F. (Hesperiidae) and *Pericyma crugeri* B. (Noctuidae).

Past records of distribution: Philippines & India.

5. *Brachymeria* (*Brachymeria excarinata*) Gahan.

We record this species for the first time from N. Guinea. We refer to this species a single specimen collected by J. N. L. Stibick from Papua, N. Guinea on 14-9-1972. We also record this species for the first time from the host *Parnara mathias* F. (Hesperiidae) collected from Shillong, Assam (India) (collector unknown) on II-1963.

Past host records: *Cnaphalocrocis medinalis* G (Pyralidae), *Plutella maculipennis* C. (Yponomeutidae) *Grapholitha mjaesta* B (Eucosmidae), *Compolechia metagramma* M (Gelechiidae), and *Homona* sp (Tortricidae).

Past records of distribution: India, Thailand, Singapore, B. N. Borneo, Philippines, China, Vietnam, Taiwan, Laos, Formosa, Japan & Egypt.

6. *Brachymeria* (*Brachymeria amphissa*) (Walker)

We record this species for the first time from the host *Anapheis aurota* *aurota* (Pieridae). We refer to this species a single specimen collected by J. C. Basu Choudhuri from Coimbatore (S. India) on 29-10-1971.

Past host record: *Earias* sp.

Past record of distribution: India.

Summary

Five species of *Brachymeria* viz. *B.* (*Neobrachymeria*) *nosatoi* H., *B.* (*B.*) *gigantica* J. et al., *B.* (*B.*) *megaspila* (C.), *B.* (*B.*) *albotibialis* (A.) and *B.* (*B.*) *excarinata* G. are reported for the first time from New Guinea (Austaralian realm) and from five different new hosts. Another species vix. *B.* (*B.*) *amphissa* (W.) is reported for the first time from the host *Anapheis aurota aurota* (Pieridae) from India.

Acknowledgements

The authors wish to express their grateful thanks to Dr. Jeffrey N. L. Stibick, Senior Entomologist, Department of Agriculture, Stock & Fisheries, Konedobu, Papua, New Guinea, for giving them the opportunity to examine a collection of uniden-

tified *Brachymeria* species from N. Guinea region. Thanks are also due to Dr. J. C. Basu Choudhuri, Senior Research Officer, Entomology Branch, Southern Forest Research Centre, Coimbatore, India for sending a small collection of unidentified *Brachymeria* specimens for study by authors.

സംഗ്രഹം

നൃഗിനിയായിൽ നിന്ന് 'ആരക്കിടീറിയയുടെ' അഞ്ചു പുതിയ മൂലികൾക്കും പാടിക്കുകയും അവ അഞ്ചു പുതിയ ഫോസ്റ്റുകളിൽ കാണപ്പെടുകയും ചെയ്തു. ഇൻഡ്യയിൽ ഒരു മൂലിക്കും ഒരു പുതിയ ഫോസ്റ്റിൽ നിന്ന് 'രിപ്പുർട്ട്' ചെയ്യപ്പെട്ടിട്ടുണ്ട്.

REFERENCES

- Ashmead, W. H. 1904. Descriptions of new Hymenoptera from Japan. II *Joorn. N. Y. Ent. Soc.* 12, 12.
- Cameron, P. 1906. On the Tenthredinidae and parasitic Hymenoptera collected in Baluchistan by Major C. G. Nurse. Part I. *J. Bombay nat. Hist. Soc.*, 17, 94-581.
- Gahan, A. B. 1925. A second lot of parasitic Hymenoptera from Philippines. *Philipp. Journ. Sci.*, 27, 90-91.
- Gahan, A. B. 1930. Synonymical and descriptive notes on parasitic Hymenoptera, *Proc. U.S. Natl. Mus.*, Washington. 77, 12.
- Habu, A. 1960. A revision of the Chalcididae (Hymenoptera) of Japan. *Bull. Nat. Inst. Agr. Sci. (Japan)* Ser. C. II, 132-209.
- Habu, A. 1962. Insecta : Chalcididae, Leucospidae and Podagrionidae. *Fauna Japonica*, pp. 12-65.
- Harm, A. 1966. Descriptions of some *Brachymeria* species of Japan (Hymenoptera : Chalcididae) *Kontyu*, 34, 22-28.
- Joseph, K. J., Narendran, T. C. and Joy, P. J. 1972. New species of *Brachymeria* Westwood (Hymenoptera : Chalcididae) in the collections of Rijksmuseum Van Natuurlijke Historie, Leiden. *Oriental Ins.* 6, 45-54.
- Joseph, K. J., Narendran, T. C. and Joy, P. J. 1973. Oriental *Brachymeria* (Hymenoptera : Chalcididae), *Zoological Monograph No. 1*. Department of Zoology, University of Calicut, pp. 1-215.
- Joy P. J. and K. J. Joseph. 1973. Notes on the biology of *Brachymeria (Neobrachymeria) nosatoi* and its importance in the control of *Nephantis serinopa*. *Entomophaga* 18, 317-319.
- Masi, L. 1940 a. On some Chalcididae Batai-Tobago Island. *Mushi*, 13, 1-2.

- Masi, L. 1940 b. Descrizioni di Chalcididi raccolti in Somalia dal Prof. G. Russo con note sulle Species congenerei. *Boll. R. Lab. Ent. Agr. Portici* 3, 261.
- Mani, M. S. 1938. *Catalogue on Indian Insects* Part 23 Chalcidoidea. PP. 1-175.
- Pruthi, H. S. and Mani, M. S. 1940. Biological notes on Indian parasitic Chalcidoidea. *Misc. Bull. Imp. Counc. Agr. Res.* 30, 3-6.
- Ramakrishna Ayyar, T. V. *Spolia Zeylanica*, 13, 238-239.
- Thompson, W. R. 1945. A catalogue of parasites and predators of insect pests. Section 1, Part 6. Pub. by the Imperial Parasite Service, Ontario, Canada.
- Walker, F. 1946. List of specimens of Hymenopterous insects in the collection of the British Museum I. Chalcidites, 83.
- Walker, F. 1862. Notes on Chalcidites and characters of undescribed species. *Trans. ent. Soc. London.* I, 345-397.

(M. S. received 17.3.1975)